

# AX OPC SERVER

Order No.: 2985945



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2985945>

AX OPC SERVER, communication interface for OPC-capable visualization with PC WORX-based controls.

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Commercial data

GTIN (EAN)	4 046356 103497
Note	Made-to-order
sales group	K130
Pack	1 pcs.
Customs tariff	85234045
Catalog page information	Page 296 (NTK-2010)

## Technical data

### Functions

Basic functions	Supports OPC standard functions and all the optional interfaces (in accordance with OPC spec. DA 1.0a and DA 2.04/2.05)
	Simultaneous support to several controllers
	Integrated OPC testing and diagnostics client
System limits	16 Ethernet connections
Supported interface connections	Embedded Controller (INTERBUS controller boards are supported only by the IBS OPC SERVER.)
Supported data types	BOOL, BYTE, DINT, DWORD, INT, REAL, SINT, STRING, TIME, WORD, UINT, USINT, UDINT, ARRAY (1 dim. of standard data types), STRUCT (byte array)

**Hardware requirements**

Monitor resolution	XGA (1024 x 768)
Operating equipment	Keyboard, mouse
CPU	Pentium 4/Celeron, 1 GHz
Optical drive	DVD-ROM
Name	PC WORX Version 3 or later
Supported interface connections	Embedded Controller (INTERBUS controller boards are supported only by the IBS OPC SERVER.)

**Operating systems**

Operating systems	MS Windows XP SP3, MS Windows Vista Business, MS Windows 7 (32-bit)
Operating equipment	Keyboard, mouse

**Scope of delivery**

Scope of delivery	CD-ROM with German and English product version and online documentation
-------------------	---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;